

TL2651 Feedthrough Filter

Current Ratings: 200 Amps

Operating Voltage: 230VAC / 350VDC (TL2651).

This single line, high performance feed-through filter provides excellent EMI/RFI protection. Offering high attenuation. This is an economical alternative to dedicated filter units, where multiple input or output power lines require suppression.

TYPICAL APPLICATIONS

- Screened rooms.
- High frequency welding equipment.
- Power supplies.
- Telecom systems.
- Medical Applications.
- Military.

TECHNICAL ADVANTAGES

- Current rating 100A.
- Excellent attenuation up-to 1GHz.
- Rugged resin sealed construction.
- Flange-mounting.



• Rated voltage (V_R): 230VAC 50/60Hz

Rated current (I_R): referred to 40°C

• Insertion Loss (dB.): see table

• Climatic category: GPC (40/085/56);

• Temperature range: -20°C to +70°C

MECHANICAL SPECIFICATIONS

Manufacture: brass case and stud that is tin plated; Metric stud, nut and washers (**TL2651**) **Connections:** Metric M10 full nuts, spring washers, plain flat washers and threaded M10 bar. Note: on screwing the cable to the filter, the lock nut must be held in position to avoid a torque to the threaded bar inside the filter.

Part no.	In	VAC/VDC	Cp	Temperature Dimensions (mm)								
	(A)		(µF)	Range C	A	В	C	D	E	F	Ğ	Н
TL2651	200	230/350	8	-20 - +70	160.00	81.60	Equally spaced	64.00	10.00	75.00	75.00	6.35




Unit 14, Birmingham Trade Park, Kingsbury Road, B24 9PS

Email: enquiry@totalemc.com Tel: 01213844696


DWG: 1052314A Feb 2019



DIMENSIONS & CASE STYLES



PERFORMANCE GRAPH (INSERTION LOSS)






Unit 14, Birmingham Trade Park, Kingsbury Road, B24 9PS Email: enquiry@totalemc.com
Tel: 01213844696

DWG: 1052314A Fax: 01213820860 Feb 2019



ELECTRICAL SCHEMATIC (Pi configuration)



ORDERING INFORMATION

TL2651

Other sizes available on request

In addition to the standard range of filters & power supplies, Total EMC Products Ltd specialize in the design and manufacture of filters to suit your specific requirements. Due to continuous development Total EMC Products Ltd reserve the right to amend any information contained within this datasheet without prior notice. 01/2016 Total EMC Products Ltd. E & OE The contents of the datasheet must not be copied by any means without prior written agreement.



Unit 14, Birmingham Trade Park, Kingsbury Road, B24 9PS

Email: enquiry@totalemc.com Tel: 01213844696

Fax: 01213820860